



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 1

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 536	1 250	1 620	110 kg	110 kg
2 500	1 500	1 536	1 550	1 920	120 kg	120 kg
3 000	1 500	1 536	1 850	2 220	140 kg	140 kg
3 500	1 500	1 536	2 150	2 520	160 kg	160 kg
4 000	1 500	1 536	2 450	2 820	170 kg	170 kg
5 000	1 500	1 536	3 000	3 370	210 kg	210 kg
5 000	1 900	1 936	1 900	2 200	210 kg	210 kg
6 000	1 500	1 540	3 600	3 970	240 kg	240 kg
6 000	1 900	1 936	2 300	2 600	230 kg	230 kg
7 000	1 900	1 940	2 650	2 950	260 kg	260 kg
8 000	1 900	1 940	3 000	3 300	290 kg	290 kg
9 000	1 900	1 944	3 400	3 700	320 kg	320 kg
9 000	2 500	2 540	2 000	2 380	330 kg	330 kg
10 000	1 900	1 944	3 750	4 050	350 kg	350 kg
10 000	2 500	2 540	2 200	2 580	350 kg	350 kg
12 000	1 900	1 960	4 500	4 810	410 kg	410 kg
12 000	2 500	2 544	2 650	3 030	400 kg	400 kg
15 000	2 500	2 560	3 250	3 630	460 kg	460 kg
20 000	2 500	2 566	4 350	4 730	590 kg	590 kg
20 000	3 000	3 060	3 050	3 500	620 kg	620 kg
25 000	2 500	2 588	5 400	5 790	750 kg	750 kg
25 000	3 000	3 078	3 800	4 250	750 kg	750 kg
30 000	2 500	2 600	6 450	6 840	940 kg	940 kg
30 000	3 000	3 088	4 550	5 000	920 kg	920 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 2

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 536	1 250	1 620	110 kg	110 kg
2 500	1 500	1 536	1 550	1 920	120 kg	120 kg
3 000	1 500	1 536	1 850	2 220	140 kg	140 kg
3 500	1 500	1 536	2 150	2 520	160 kg	160 kg
4 000	1 500	1 536	2 450	2 820	170 kg	170 kg
5 000	1 500	1 540	3 000	3 370	210 kg	210 kg
5 000	1 900	1 936	1 900	2 200	210 kg	210 kg
6 000	1 500	1 544	3 600	3 970	240 kg	240 kg
6 000	1 900	1 940	2 300	2 600	230 kg	230 kg
7 000	1 900	1 940	2 650	2 950	270 kg	270 kg
8 000	1 900	1 944	3 000	3 300	300 kg	300 kg
9 000	1 900	1 956	3 400	3 700	320 kg	320 kg
9 000	2 500	2 540	2 000	2 380	330 kg	330 kg
10 000	1 900	1 960	3 750	4 050	350 kg	350 kg
10 000	2 500	2 544	2 200	2 580	360 kg	360 kg
12 000	1 900	1 966	4 500	4 810	420 kg	420 kg
12 000	2 500	2 560	2 650	3 030	400 kg	400 kg
15 000	2 500	2 566	3 250	3 630	470 kg	470 kg
20 000	2 500	2 588	4 350	4 740	620 kg	620 kg
20 000	3 000	3 066	3 050	3 500	640 kg	640 kg
25 000	2 500	2 600	5 400	5 790	800 kg	800 kg
25 000	3 000	3 088	3 800	4 250	790 kg	790 kg
30 000	2 500	2 622	6 450	6 840	990 kg	990 kg
30 000	3 000	3 110	4 550	5 010	960 kg	960 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 3

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 536	1 250	1 620	110 kg	110 kg
2 500	1 500	1 536	1 550	1 920	130 kg	130 kg
3 000	1 500	1 536	1 850	2 220	140 kg	140 kg
3 500	1 500	1 536	2 150	2 520	160 kg	160 kg
4 000	1 500	1 540	2 450	2 820	180 kg	180 kg
5 000	1 500	1 544	3 000	3 370	220 kg	220 kg
5 000	1 900	1 940	1 900	2 200	210 kg	210 kg
6 000	1 500	1 556	3 600	3 970	250 kg	250 kg
6 000	1 900	1 940	2 300	2 600	230 kg	230 kg
7 000	1 900	1 944	2 650	2 950	270 kg	270 kg
8 000	1 900	1 960	3 000	3 310	300 kg	300 kg
9 000	1 900	1 960	3 400	3 710	330 kg	330 kg
9 000	2 500	2 544	2 000	2 380	340 kg	340 kg
10 000	1 900	1 966	3 750	4 060	350 kg	350 kg
10 000	2 500	2 556	2 200	2 580	360 kg	360 kg
12 000	1 900	1 978	4 500	4 810	420 kg	420 kg
12 000	2 500	2 560	2 650	3 030	410 kg	410 kg
15 000	2 500	2 578	3 250	3 630	490 kg	490 kg
20 000	2 500	2 600	4 350	4 740	640 kg	640 kg
20 000	3 000	3 088	3 050	3 500	650 kg	650 kg
25 000	2 500	2 622	5 400	5 790	850 kg	850 kg
25 000	3 000	3 100	3 800	4 250	840 kg	840 kg
30 000	2 500	2 634	6 450	6 840	1 040 kg	1 040 kg
30 000	3 000	3 122	4 550	5 010	1 000 kg	1 000 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 4

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 536	1 250	1 620	110 kg	110 kg
2 500	1 500	1 536	1 550	1 920	120 kg	120 kg
3 000	1 500	1 536	1 850	2 220	140 kg	140 kg
3 500	1 500	1 540	2 150	2 520	160 kg	160 kg
4 000	1 500	1 540	2 450	2 820	170 kg	170 kg
5 000	1 500	1 544	3 000	3 370	210 kg	210 kg
5 000	1 900	1 940	1 900	2 200	210 kg	210 kg
6 000	1 500	1 560	3 600	3 980	240 kg	240 kg
6 000	1 900	1 944	2 300	2 600	240 kg	240 kg
7 000	1 900	1 960	2 650	2 960	270 kg	270 kg
8 000	1 900	1 960	3 000	3 310	300 kg	300 kg
9 000	1 900	1 966	3 400	3 710	330 kg	330 kg
9 000	2 500	2 556	2 000	2 380	340 kg	340 kg
10 000	1 900	1 978	3 750	4 060	360 kg	360 kg
10 000	2 500	2 560	2 200	2 580	360 kg	360 kg
12 000	1 900	1 978	4 500	4 810	420 kg	420 kg
12 000	2 500	2 566	2 650	3 030	410 kg	410 kg
15 000	2 500	2 588	3 250	3 640	490 kg	490 kg
20 000	2 500	2 600	4 350	4 740	640 kg	640 kg
20 000	3 000	3 088	3 050	3 500	670 kg	670 kg
25 000	2 500	2 622	5 400	5 790	830 kg	830 kg
25 000	3 000	3 110	3 800	4 260	840 kg	840 kg
30 000	2 500	2 634	6 450	6 840	1 030 kg	1 030 kg
30 000	3 000	3 122	4 550	5 010	990 kg	990 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 5

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 536	1 250	1 620	110 kg	110 kg
2 500	1 500	1 536	1 550	1 920	130 kg	130 kg
3 000	1 500	1 540	1 850	2 220	140 kg	140 kg
3 500	1 500	1 540	2 150	2 520	160 kg	160 kg
4 000	1 500	1 544	2 450	2 820	180 kg	180 kg
5 000	1 500	1 556	3 000	3 370	220 kg	220 kg
5 000	1 900	1 944	1 900	2 200	210 kg	210 kg
6 000	1 500	1 560	3 600	3 980	250 kg	250 kg
6 000	1 900	1 956	2 300	2 600	240 kg	240 kg
7 000	1 900	1 960	2 650	2 960	270 kg	270 kg
8 000	1 900	1 966	3 000	3 310	300 kg	300 kg
9 000	1 900	1 978	3 400	3 710	340 kg	340 kg
9 000	2 500	2 560	2 000	2 380	340 kg	340 kg
10 000	1 900	1 978	3 750	4 060	360 kg	360 kg
10 000	2 500	2 566	2 200	2 580	370 kg	370 kg
12 000	1 900	2 000	4 500	4 810	430 kg	430 kg
12 000	2 500	2 578	2 650	3 030	430 kg	430 kg
15 000	2 500	2 588	3 250	3 640	510 kg	510 kg
20 000	2 500	2 622	4 350	4 740	710 kg	710 kg
20 000	3 000	3 100	3 050	3 500	720 kg	720 kg
25 000	2 500	2 634	5 400	5 790	900 kg	900 kg
25 000	3 000	3 122	3 800	4 260	910 kg	910 kg
30 000	2 500	2 656	6 450	6 850	1 160 kg	1 160 kg
30 000	3 000	3 144	4 550	5 010	1 120 kg	1 120 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 6

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 536	1 250	1 620	110 kg	110 kg
2 500	1 500	1 536	1 550	1 920	130 kg	130 kg
3 000	1 500	1 540	1 850	2 220	140 kg	140 kg
3 500	1 500	1 540	2 150	2 520	160 kg	160 kg
4 000	1 500	1 544	2 450	2 820	180 kg	180 kg
5 000	1 500	1 560	3 000	3 380	220 kg	220 kg
5 000	1 900	1 944	1 900	2 200	220 kg	220 kg
6 000	1 500	1 560	3 600	3 980	250 kg	250 kg
6 000	1 900	1 960	2 300	2 610	240 kg	240 kg
7 000	1 900	1 966	2 650	2 960	280 kg	280 kg
8 000	1 900	1 966	3 000	3 310	300 kg	300 kg
9 000	1 900	1 978	3 400	3 710	340 kg	340 kg
9 000	2 500	2 566	2 000	2 380	340 kg	340 kg
10 000	1 900	1 988	3 750	4 060	360 kg	360 kg
10 000	2 500	2 566	2 200	2 580	370 kg	370 kg
12 000	1 900	2 000	4 500	4 810	440 kg	440 kg
12 000	2 500	2 588	2 650	3 040	430 kg	430 kg
15 000	2 500	2 600	3 250	3 640	510 kg	510 kg
20 000	2 500	2 622	4 350	4 740	700 kg	700 kg
20 000	3 000	3 110	3 050	3 510	700 kg	700 kg
25 000	2 500	2 656	5 400	5 800	900 kg	900 kg
25 000	3 000	3 122	3 800	4 260	890 kg	890 kg
30 000	2 500	2 668	6 450	6 850	1 170 kg	1 170 kg
30 000	3 000	3 156	4 550	5 010	1 100 kg	1 100 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 7

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 536	1 250	1 620	110 kg	110 kg
2 500	1 500	1 540	1 550	1 920	130 kg	130 kg
3 000	1 500	1 540	1 850	2 220	150 kg	150 kg
3 500	1 500	1 544	2 150	2 520	160 kg	160 kg
4 000	1 500	1 556	2 450	2 820	180 kg	180 kg
5 000	1 500	1 560	3 000	3 380	220 kg	220 kg
5 000	1 900	1 956	1 900	2 200	220 kg	220 kg
6 000	1 500	1 578	3 600	3 980	260 kg	260 kg
6 000	1 900	1 960	2 300	2 610	250 kg	250 kg
7 000	1 900	1 966	2 650	2 960	280 kg	280 kg
8 000	1 900	1 978	3 000	3 310	310 kg	310 kg
9 000	1 900	1 978	3 400	3 710	350 kg	350 kg
9 000	2 500	2 566	2 000	2 380	400 kg	400 kg
10 000	1 900	2 000	3 750	4 060	390 kg	390 kg
10 000	2 500	2 578	2 200	2 580	420 kg	420 kg
12 000	1 900	2 000	4 500	4 810	500 kg	500 kg
12 000	2 500	2 588	2 650	3 040	490 kg	490 kg
15 000	2 500	2 600	3 250	3 640	610 kg	610 kg
20 000	2 500	2 634	4 350	4 740	810 kg	810 kg
20 000	3 000	3 122	3 050	3 510	780 kg	780 kg
25 000	2 500	2 656	5 400	5 800	1 080 kg	1 080 kg
25 000	3 000	3 144	3 800	4 260	1 000 kg	1 000 kg
30 000	2 500	2 700	6 450	6 850	1 410 kg	1 410 kg
30 000	3 000	3 156	4 550	5 010	1 210 kg	1 210 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 8

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 540	1 250	1 620	110 kg	110 kg
2 500	1 500	1 544	1 550	1 920	130 kg	130 kg
3 000	1 500	1 556	1 850	2 220	150 kg	150 kg
3 500	1 500	1 560	2 150	2 530	170 kg	170 kg
4 000	1 500	1 560	2 450	2 830	190 kg	190 kg
5 000	1 500	1 578	3 000	3 380	230 kg	230 kg
5 000	1 900	1 966	1 900	2 210	220 kg	220 kg
6 000	1 500	1 590	3 600	3 980	270 kg	270 kg
6 000	1 900	1 978	2 300	2 610	250 kg	250 kg
7 000	1 900	1 988	2 650	2 960	300 kg	300 kg
8 000	1 900	2 000	3 000	3 310	340 kg	340 kg
9 000	1 900	2 000	3 400	3 710	400 kg	400 kg
9 000	2 500	2 588	2 000	2 390	430 kg	430 kg
10 000	1 900	2 012	3 750	4 060	450 kg	450 kg
10 000	2 500	2 600	2 200	2 590	450 kg	450 kg
12 000	1 900	2 034	4 500	4 820	550 kg	550 kg
12 000	2 500	2 600	2 650	3 040	550 kg	550 kg
15 000	2 500	2 634	3 250	3 640	660 kg	660 kg
20 000	2 500	2 668	4 350	4 750	940 kg	940 kg
20 000	3 000	3 144	3 050	3 510	890 kg	890 kg
25 000	2 500	2 712	5 400	5 810	1 270 kg	1 270 kg
25 000	3 000	3 168	3 800	4 260	1 150 kg	1 150 kg
30 000	2 500	2 736	6 450	6 860	1 650 kg	1 650 kg
30 000	3 000	3 212	4 550	5 020	1 420 kg	1 420 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Storage Tanks from HDPE

Dimensions and Weights

Media group 9

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Height of cy- linder mm	total height mm approx.	installation	
					indoors weight	outdoors weight
2 000	1 500	1 560	1 250	1 630	110 kg	110 kg
2 500	1 500	1 560	1 550	1 930	140 kg	140 kg
3 000	1 500	1 578	1 850	2 230	160 kg	160 kg
3 500	1 500	1 578	2 150	2 530	190 kg	190 kg
4 000	1 500	1 600	2 450	2 830	210 kg	210 kg
5 000	1 500	1 612	3 000	3 380	270 kg	270 kg
5 000	1 900	2 000	1 900	2 210	250 kg	250 kg
6 000	1 500	1 634	3 600	3 990	360 kg	360 kg
6 000	1 900	2 012	2 300	2 610	320 kg	320 kg
7 000	1 900	2 034	2 650	2 970	380 kg	380 kg
8 000	1 900	2 046	3 000	3 320	440 kg	440 kg
9 000	1 900	2 068	3 400	3 720	530 kg	530 kg
9 000	2 500	2 634	2 000	2 390	510 kg	510 kg
10 000	1 900	2 068	3 750	4 070	600 kg	600 kg
10 000	2 500	2 634	2 200	2 590	580 kg	580 kg
12 000	1 900	2 092	4 500	4 820	790 kg	790 kg
12 000	2 500	2 668	2 650	3 050	700 kg	700 kg
15 000	2 500	2 712	3 250	3 660	900 kg	900 kg
20 000	2 500	2 748	4 350	4 760	1 340 kg	1 340 kg
20 000	3 000	3 224	3 050	3 520	1 170 kg	1 170 kg
25 000	2 500	2 804	5 400	5 820	1 880 kg	1 880 kg
25 000	3 000	3 280	3 800	4 280	1 590 kg	1 590 kg
30 000	2 500	2 872	6 450	6 880	2 620 kg	2 620 kg
30 000	3 000	3 304	4 550	5 030	2 080 kg	2 080 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 1

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	125 kg
3 000	1 900	1 936	1 510	1 650	140 kg	148 kg
3 500	1 900	1 936	1 800	1 950	160 kg	170 kg
4 000	1 900	1 936	2 080	2 250	180 kg	200 kg
5 000	1 900	1 936	2 650	2 850	220 kg	240 kg
5 000	2 500	2 536	1 480	1 710	200 kg	210 kg
6 000	1 900	1 936	3 220	3 450	260 kg	280 kg
6 000	2 500	2 536	1 840	2 070	220 kg	240 kg
7 000	2 500	2 536	2 230	2 420	260 kg	280 kg
8 000	2 500	2 536	2 580	2 810	290 kg	310 kg
9 000	2 500	2 536	2 940	3 170	320 kg	380 kg
9 000	3 000	3 036	1 600	1 770	240 kg	260 kg
10 000	2 500	2 536	3 250	3 560	350 kg	420 kg
10 000	3 000	3 036	1 810	2 020	270 kg	290 kg
12 000	2 500	2 540	3 960	4 310	420 kg	560 kg
12 000	3 000	3 036	2 270	2 440	320 kg	340 kg
15 000	3 000	3 040	2 840	3 020	400 kg	470 kg
20 000	3 000	3 056	3 880	4 130	520 kg	680 kg
20 000	3 500	3 544	2 610	2 780	440 kg	480 kg
25 000	3 000	3 066	4 880	5 180	660 kg	950 kg
25 000	3 500	3 560	3 340	3 530	560 kg	730 kg
30 000	3 000	3 088	5 930	6 270	790 kg	1 230 kg
30 000	3 500	3 566	4 050	4 270	680 kg	930 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 2

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	130 kg
3 000	1 900	1 936	1 510	1 650	140 kg	150 kg
3 500	1 900	1 936	1 800	1 950	160 kg	170 kg
4 000	1 900	1 936	2 080	2 250	180 kg	200 kg
5 000	1 900	1 936	2 650	2 850	220 kg	240 kg
5 000	2 500	2 536	1 480	1 710	200 kg	210 kg
6 000	1 900	1 936	3 220	3 450	260 kg	280 kg
6 000	2 500	2 536	1 840	2 070	220 kg	240 kg
7 000	2 500	2 536	2 230	2 420	260 kg	280 kg
8 000	2 500	2 536	2 580	2 810	290 kg	310 kg
9 000	2 500	2 536	2 940	3 170	320 kg	380 kg
9 000	3 000	3 036	1 600	1 770	240 kg	260 kg
10 000	2 500	2 540	3 250	3 560	350 kg	420 kg
10 000	3 000	3 036	1 810	2 020	270 kg	290 kg
12 000	2 500	2 540	3 960	4 310	430 kg	570 kg
12 000	3 000	3 040	2 270	2 440	320 kg	340 kg
15 000	3 000	3 044	2 840	3 020	400 kg	480 kg
20 000	3 000	3 060	3 880	4 130	530 kg	700 kg
20 000	3 500	3 544	2 610	2 780	440 kg	480 kg
25 000	3 000	3 066	4 880	5 180	670 kg	950 kg
25 000	3 500	3 560	3 340	3 530	580 kg	760 kg
30 000	3 000	3 088	5 930	6 270	830 kg	1 230 kg
30 000	3 500	3 566	4 050	4 270	680 kg	930 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 3

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	130 kg
3 000	1 900	1 936	1 510	1 650	140 kg	150 kg
3 500	1 900	1 936	1 800	1 950	160 kg	170 kg
4 000	1 900	1 936	2 080	2 250	180 kg	200 kg
5 000	1 900	1 936	2 650	2 850	220 kg	240 kg
5 000	2 500	2 536	1 480	1 710	190 kg	210 kg
6 000	1 900	1 940	3 220	3 450	260 kg	280 kg
6 000	2 500	2 536	1 840	2 070	220 kg	240 kg
7 000	2 500	2 536	2 230	2 420	260 kg	280 kg
8 000	2 500	2 540	2 580	2 810	290 kg	310 kg
9 000	2 500	2 540	2 940	3 170	320 kg	380 kg
9 000	3 000	3 036	1 600	1 770	240 kg	260 kg
10 000	2 500	2 540	3 250	3 560	360 kg	430 kg
10 000	3 000	3 040	1 810	2 020	270 kg	290 kg
12 000	2 500	2 544	3 960	4 310	430 kg	570 kg
12 000	3 000	3 040	2 270	2 440	330 kg	350 kg
15 000	3 000	3 044	2 840	3 020	400 kg	470 kg
20 000	3 000	3 066	3 880	4 130	550 kg	710 kg
20 000	3 500	3 560	2 610	2 780	460 kg	510 kg
25 000	3 000	3 088	4 880	5 180	700 kg	980 kg
25 000	3 500	3 566	3 340	3 530	590 kg	760 kg
30 000	3 000	3 088	5 930	6 270	890 kg	1 180 kg
30 000	3 500	3 588	4 050	4 270	730 kg	970 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 4

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	130 kg
3 000	1 900	1 936	1 510	1 650	140 kg	150 kg
3 500	1 900	1 936	1 800	1 950	160 kg	170 kg
4 000	1 900	1 936	2 080	2 250	180 kg	200 kg
5 000	1 900	1 936	2 650	2 850	220 kg	240 kg
5 000	2 500	2 536	1 480	1 710	190 kg	210 kg
6 000	1 900	1 940	3 220	3 450	260 kg	280 kg
6 000	2 500	2 536	1 840	2 070	220 kg	280 kg
7 000	2 500	2 540	2 230	2 420	260 kg	280 kg
8 000	2 500	2 540	2 580	2 810	290 kg	310 kg
9 000	2 500	2 540	2 940	3 170	330 kg	390 kg
9 000	3 000	3 040	1 600	1 770	240 kg	260 kg
10 000	2 500	2 544	3 250	3 560	360 kg	430 kg
10 000	3 000	3 040	1 810	2 020	270 kg	290 kg
12 000	2 500	2 560	3 960	4 310	430 kg	570 kg
12 000	3 000	3 044	2 270	2 440	330 kg	350 kg
15 000	3 000	3 060	2 840	3 020	410 kg	480 kg
20 000	3 000	3 066	3 880	4 130	550 kg	710 kg
20 000	3 500	3 566	2 610	2 780	460 kg	510 kg
25 000	3 000	3 088	4 880	5 180	700 kg	980 kg
25 000	3 500	3 588	3 340	3 530	590 kg	760 kg
30 000	3 000	3 110	5 930	6 270	910 kg	1 180 kg
30 000	3 500	3 588	4 050	4 270	740 kg	970 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 5

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	130 kg
3 000	1 900	1 936	1 510	1 650	140 kg	150 kg
3 500	1 900	1 936	1 800	1 950	160 kg	170 kg
4 000	1 900	1 936	2 080	2 250	180 kg	200 kg
5 000	1 900	1 940	2 650	2 850	220 kg	240 kg
5 000	2 500	2 536	1 480	1 710	190 kg	210 kg
6 000	1 900	1 940	3 220	3 450	270 kg	290 kg
6 000	2 500	2 536	1 840	2 070	220 kg	240 kg
7 000	2 500	2 540	2 230	2 420	260 kg	280 kg
8 000	2 500	2 540	2 580	2 810	300 kg	320 kg
9 000	2 500	2 544	2 940	3 170	330 kg	390 kg
9 000	3 000	3 040	1 600	1 770	240 kg	260 kg
10 000	2 500	2 556	3 250	3 560	360 kg	440 kg
10 000	3 000	3 040	1 810	2 020	280 kg	300 kg
12 000	2 500	2 560	3 960	4 310	440 kg	580 kg
12 000	3 000	3 056	2 270	2 440	330 kg	350 kg
15 000	3 000	3 066	2 840	3 020	410 kg	500 kg
20 000	3 000	3 088	3 880	4 130	580 kg	740 kg
20 000	3 500	3 566	2 610	2 780	490 kg	530 kg
25 000	3 000	3 100	4 880	5 180	770 kg	1 030 kg
25 000	3 500	3 588	3 340	3 530	630 kg	790 kg
30 000	3 000	3 122	5 930	6 270	960 kg	1 210 kg
30 000	3 500	3 610	4 050	4 270	810 kg	1 000 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 6

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	130 kg
3 000	1 900	1 936	1 510	1 650	140 kg	150 kg
3 500	1 900	1 936	1 800	1 950	160 kg	170 kg
4 000	1 900	1 936	2 080	2 250	180 kg	200 kg
5 000	1 900	1 940	2 650	2 850	220 kg	240 kg
5 000	2 500	2 536	1 480	1 710	190 kg	210 kg
6 000	1 900	1 944	3 220	3 450	270 kg	280 kg
6 000	2 500	2 540	1 840	2 070	220 kg	240 kg
7 000	2 500	2 540	2 230	2 420	260 kg	280 kg
8 000	2 500	2 544	2 580	2 810	300 kg	320 kg
9 000	2 500	2 544	2 940	3 170	330 kg	390 kg
9 000	3 000	3 040	1 600	1 770	260 kg	280 kg
10 000	2 500	2 560	3 250	3 560	360 kg	430 kg
10 000	3 000	3 044	1 810	2 020	280 kg	300 kg
12 000	2 500	2 566	3 960	4 310	440 kg	580 kg
12 000	3 000	3 060	2 270	2 440	330 kg	350 kg
15 000	3 000	3 066	2 840	3 020	430 kg	510 kg
20 000	3 000	3 088	3 880	4 130	590 kg	750 kg
20 000	3 500	3 588	2 610	2 780	490 kg	530 kg
25 000	3 000	3 110	4 880	5 180	780 kg	1 030 kg
25 000	3 500	3 588	3 340	3 530	640 kg	760 kg
30 000	3 000	3 122	5 930	6 270	970 kg	1 320 kg
30 000	3 500	3 610	4 050	4 270	830 kg	1 010 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 7

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	130 kg
3 000	1 900	1 936	1 510	1 650	140 kg	150 kg
3 500	1 900	1 936	1 800	1 950	160 kg	170 kg
4 000	1 900	1 940	2 080	2 250	180 kg	200 kg
5 000	1 900	1 940	2 650	2 850	230 kg	240 kg
5 000	2 500	2 536	1 480	1 710	190 kg	210 kg
6 000	1 900	1 944	3 220	3 450	270 kg	290 kg
6 000	2 500	2 540	1 840	2 070	230 kg	250 kg
7 000	2 500	2 544	2 230	2 420	270 kg	290 kg
8 000	2 500	2 544	2 580	2 810	300 kg	320 kg
9 000	2 500	2 560	2 940	3 170	340 kg	400 kg
9 000	3 000	3 044	1 600	1 770	260 kg	280 kg
10 000	2 500	2 560	3 250	3 560	390 kg	460 kg
10 000	3 000	3 056	1 810	2 020	300 kg	340 kg
12 000	2 500	2 566	3 960	4 310	460 kg	560 kg
12 000	3 000	3 060	2 270	2 440	370 kg	380 kg
15 000	3 000	3 078	2 840	3 020	460 kg	540 kg
20 000	3 000	3 100	3 880	4 130	650 kg	750 kg
20 000	3 500	3 588	2 610	2 780	540 kg	570 kg
25 000	3 000	3 122	4 880	5 180	890 kg	1 100 kg
25 000	3 500	3 610	3 340	3 530	730 kg	900 kg
30 000	3 000	3 134	5 930	6 270	1 110 kg	1 390 kg
30 000	3 500	3 622	4 050	4 270	950 kg	1 160 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 8

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 936	940	1 100	100 kg	110 kg
2 500	1 900	1 936	1 230	1 360	120 kg	130 kg
3 000	1 900	1 940	1 510	1 650	140 kg	150 kg
3 500	1 900	1 940	1 800	1 950	170 kg	180 kg
4 000	1 900	1 944	2 080	2 250	190 kg	200 kg
5 000	1 900	1 960	2 650	2 850	230 kg	250 kg
5 000	2 500	2 540	1 480	1 710	200 kg	220 kg
6 000	1 900	1 966	3 220	3 450	280 kg	300 kg
6 000	2 500	2 544	1 840	2 070	230 kg	250 kg
7 000	2 500	2 560	2 230	2 420	280 kg	300 kg
8 000	2 500	2 566	2 580	2 810	320 kg	350 kg
9 000	2 500	2 566	2 940	3 170	360 kg	410 kg
9 000	3 000	3 060	1 600	1 770	290 kg	310 kg
10 000	2 500	2 588	3 250	3 560	410 kg	480 kg
10 000	3 000	3 066	1 810	2 020	320 kg	340 kg
12 000	2 500	2 588	3 960	4 310	520 kg	620 kg
12 000	3 000	3 088	2 270	2 440	400 kg	420 kg
15 000	3 000	3 088	2 840	3 020	530 kg	600 kg
20 000	3 000	3 122	3 880	4 130	770 kg	880 kg
20 000	3 500	3 610	2 610	2 780	640 kg	660 kg
25 000	3 000	3 144	4 880	5 180	1 010 kg	1 150 kg
25 000	3 500	3 622	3 340	3 530	880 kg	980 kg
30 000	3 000	3 156	5 930	6 270	1 340 kg	1 490 kg
30 000	3 500	3 644	4 050	4 270	1 140 kg	1 260 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath



SK Retention Tanks from HDPE

Dimensions and Weights

Media group 9

metric dimensions

Capacity liters	Inside dia- meter mm	Outside dia- meter mm*	Cylinder hight indoors mm	Cylinder hight outdoors mm	installation	
					indoors weight	outdoors weight
2 000	1 900	1 940	940	1 100	100 kg	110 kg
2 500	1 900	1 944	1 230	1 360	130 kg	140 kg
3 000	1 900	1 960	1 510	1 650	150 kg	160 kg
3 500	1 900	1 960	1 800	1 950	180 kg	190 kg
4 000	1 900	1 966	2 080	2 250	200 kg	220 kg
5 000	1 900	1 978	2 650	2 850	260 kg	280 kg
5 000	2 500	2 566	1 480	1 710	220 kg	240 kg
6 000	1 900	2 000	3 220	3 450	340 kg	360 kg
6 000	2 500	2 588	1 840	2 070	280 kg	300 kg
7 000	2 500	2 588	2 230	2 420	320 kg	350 kg
8 000	2 500	2 600	2 580	2 810	400 kg	420 kg
9 000	2 500	2 600	2 940	3 170	450 kg	480 kg
9 000	3 000	3 088	1 600	1 770	380 kg	400 kg
10 000	2 500	2 622	3 250	3 560	500 kg	540 kg
10 000	3 000	3 110	1 810	2 020	420 kg	440 kg
12 000	2 500	2 634	3 960	4 310	660 kg	710 kg
12 000	3 000	3 122	2 270	2 440	550 kg	560 kg
15 000	3 000	3 144	2 840	3 020	690 kg	710 kg
20 000	3 000	3 188	3 880	4 130	1 050 kg	1 080 kg
20 000	3 500	3 656	2 610	2 780	930 kg	950 kg
25 000	3 000	3 224	4 880	5 180	1 470 kg	1 510 kg
25 000	3 500	3 700	3 340	3 530	1 270 kg	1 300 kg
30 000	3 000	3 268	5 930	6 270	2 020 kg	2 120 kg
30 000	3 500	3 724	4 050	4 270	1 670 kg	1 710 kg

Schwaben-Kunststoff, Chemietank- & Apparatebau- GmbH & Co . KG
 Augsburgener Straße 42 · D-86863 Langenneufnach
 Phone +49 8239 790 · Fax +49 8239 7940
<http://www.schwaben-kunststoff.de> · info@schwaben-kunststoff.de

* maximum outside diameter of the bottom plate welded underneath